






Applications



Suitable for a variety of indoor lighting scenes such as living rooms, exhibitions, shops, etc.







16FL10L

Unit:mm



16FL20L

Unit:mm



16FL30L

Unit:mm



Parameters


Model	Power	Product Size(mm)	Lamp bead	Voltage	CCT	CIR	Beam Angle	Installation Method
16FL10L	10W	410*16*18	OSRAM	DC48V	4000K	>90	24°	Surface Mounted
16FL20L	20W	710*16*18	OSRAM	DC48V	4000K	>90	24°	Surface Mounted
16FL30L	30W	1000*16*18	OSRAM	DC48V	4000K	>90	24°	Surface Mounted




Applications

Suitable for a variety of indoor lighting scenes such as living rooms, exhibitions, shops, etc.






16GR12L



Unit:mm




16GR18L



Unit:mm



16GR24L



Unit:mm


Parameters

Model	Power	Product Size(mm)	Lamp bead	Voltage	CCT	CIR	Beam Angle	Installation Method
16GR12L	12W	325*16*18	OSRAM	DC48V	4000K	>90	24°	Surface Mounted
16GR18L	18W	444*16*18	OSRAM	DC48V	4000K	>90	24°	Surface Mounted
16GR24L	24W	553*16*18	OSRAM	DC48V	4000K	>90	24°	Surface Mounted




Applications

Suitable for a variety of indoor lighting scenes such as living rooms, exhibitions, shops, etc.






16AS-2A



Unit:mm




16AS-2B



Unit:mm




16AS-2C



Unit:mm




16AS-2D



Unit:mm




16AS-2E




Unit:mm




16AS-1A



Unit:mm




16AS-1B



Unit:mm




16AS-1C



Unit:mm




16AS-1D



Unit:mm




16AS-1E



Unit:mm




16AS-3A



Unit:mm




16AS-3B




Unit:mm




16AS-3D



Unit:mm



16AS-3E



Unit:mm